





**LED STRIP** 

# LEDSTRIP 5M-RGBW+3000K-23W/M-IP20

BL21152025

## **LED STRIP** > LED Strip

RGB+W led strip. Set the mood subdued or colorful, this ribbon allows you to play with colors while having the possibility of having a real warm white in 3000K. Power cable at both ends.



### **Application domain**

- Residential indoor
- Meeting room
- School
- Office
- Kitchen
- Bathroom
- Bedroom
- Home Office
- House Corridor
- Backlight
- Backlight
- Circulations areas
- Entrance Halls
- Shop



23 W

1200 lm IRC >90 IP20

2 CCT 3

T 3000K / RGB







### **Electric data**

Total power (W)	23
Rated voltage (V)	24Vdc
Distorsion harmonique	-
Power factor	>0.95
Network frequencies	0Hz
Electric class	III
Dimmable	Triac , Dali , 1-10V

## **Photometric data**

Color temperatures	3000K / RGB
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>90
Safety group (EN62778)	RG1
Luminous flux (Im)	1200lm (3000K)
ULOR	-





### **Technical data**

Weight (kg)	0.04
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	-
IK Code	IK02
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-25 +45°
Body material	-
Diffuser material	-
Driver included	No

## Liefe time

## **Supplementary data**

Warranty period	5 years
Light beam spread	120°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul> <li>BL21000025 - RIBBON ACC RGBW-CONNECTOR 12MM</li> <li>BL21000027 - RIBBON ACC RGBW-JUMPER 12MM</li> <li>BL21000026 - RIBBON ACC RGBW-STARTER 12MM</li> </ul>





### Plan





