

## LED SPOTLIGHT

**SPOT ECO-5W-IP20-3000K-NON DIM**

TR01052003

**INDOOR** > Downlights (until 95 mm)

Economical led downlight in adjustable polycarbonate. u

**Application domain**

- Residential indoor
- Bedroom
- Home Office
- House Corridor

**Electric data**

Total power (W)	5
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No



FILE UPDATED ON 07/03/2023

## Photometric data

Color temperatures	3000K
Light source type	COB
Including the light source	Yes
SDCM	SDCM>6
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	400lm (3000K)
ULOR	-

## Technical data

Diameter (mm)	87
Height (mm)	47
Recessed diameter (mm)	Min. : 68   Max. : 74
Weight (kg)	0.06
Recessed depth under BA13 (mm)	36
Cable length	-
Product color	White
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-20... +45°
Body material	PC
Diffuser material	PC
Driver included	Yes
Recoverable	Non recouvrable



FILE UPDATED ON 07/03/2023




## Liefe time

L70 à 25°	25 000 h
-----------	----------

## Supplementary data

Warranty period	2 years
Light beam spread	38°
Tiltable	Yes (30°)
Connection type	Bornier avec repiquage
Linked products	<ul style="list-style-type: none"><li>• BL01065410 - SPOT DIAM80-6W</li></ul>

## Plan



FILE UPDATED ON 07/03/2023