

SPOT

SPOT ECO -5W-IP44-4000K-NON DIM

TR01052004

INDOOR > Downlights (until 95 mm)

Economical led downlight in adjustable polycarbonate.



5 W

440 lm

IRC
>80

IP20

4000K

E

Electric data

Total power (W)	5
Rated voltage (V)	230V
Distorsion harmonique	<20%
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No



FILE UPDATED ON 07/03/2023

Power supply data

Max. lamp per B10A circuit breaker	25
Max. lamp per B16A circuit breaker	30
Max. lamp per C16A circuit breaker	40

Photometric data

Color temperatures	4000K
Light source type	COB
Including the light source	Yes
SDCM	SDCM>6
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	440lm (4000K)
ULOR	-



FILE UPDATED ON 07/03/2023



Technical data

Diameter (mm)	87
Height (mm)	47
Recessed diameter (mm)	Min. : 68 Max. : 74
Weight (kg)	0.06
Recessed depth under BA13 (mm)	36
Cable length	-
Product color	White
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-20... +45°
Body material	PC
Diffuser material	PC
Driver included	Yes
Recoverable	Non recouvrable

Liefe time

L70 à 25°	25 000 h
-----------	----------

Supplementary data


Warranty period	2 years
Light beam spread	38°
Tiltable	Yes (30°)
Connection type	Bornier avec repiquage



FILE UPDATED ON 07/03/2023



Plan



FILE UPDATED ON 07/03/2023

