

## LED FRAME

# HIBAY CCT-150W-110W-75W-40W-3CCT-BL BL111506510

### INDOOR > Highbay

Industrial led frame, 3 temperature colors (3000K, 4000K and 5500K) and 4 powers (150W, 110W, 75W, 40W). 130 lm / Watt!



#### Application domain

- Industrial facilities
- Garages
- Production areas, assembly plant
- Storage



#### Electric data

Total power (W)	40 / 75 / 110 / 150
Rated voltage (V)	230V
Distorsion harmonique	<7%
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	No



FILE UPDATED ON 10/02/2022

## Power supply data

Max. lamp per B10A circuit breaker	5
Max. lamp per B16A circuit breaker	7
Max. lamp per C16A circuit breaker	10

## Photometric data

Color temperatures	3000K / 4000K / 5500K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	19500lm (4000K)
ULOR	-



FILE UPDATED ON 10/02/2022



## Technical data

Diameter (mm)	387
Height (mm)	200
Recessed diameter (mm)	-
Weight (kg)	2.32
Recessed depth under BA13 (mm)	-
Cable length	20 cm
Product color	White
IK Code	IK08
Incandescent wire test	850°C
IP Code	IP65
Use temperature range	-25... +45°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes
Recoverable	Non concerné

## Liefe time

L80 à 25°	50 000 h
-----------	----------

## Supplementary data


Warranty period	5 years
Light beam spread	120°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none"><li>• BL08000011 - TF057 High bay suspension chain</li></ul>



FILE UPDATED ON 10/02/2022



## Light distribution



## Other



## Other



FILE UPDATED ON 10/02/2022

