

PRO PROJECTOR

TORNADO PRO ASY 80W-3000K-IP65 GRIS

BL10806502

OUTDOOR > Outdoor Flood Light

Asymmetrical headlamp. Optimize the useful lighting surface!
Complies with the Order of 27/12/18 on light pollution applicable from January 2020! Asymmetrical headlamp. Optimize the useful lighting surface! Complies with the Order of 27/12/18 on light pollution applicable from January 2020!



Application domain

- Parkings lots and underground passages
- Garages
- Outdoor Circulations
- Outdoor lighting



Electric data

Total power (W)	80
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	I
Dimmable	No

Photometric data

Color temperatures	3000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	9400lm (3000K)
ULOR	-

Technical data

Dimensions (mm)	367 x 58 x 270
Weight (kg)	3.82
Recessed depth under BA13 (mm)	-
Cable length	100 cm
Product color	Gray RAL 7035
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-25... +40°
Body material	Aluminium
Diffuser material	Verre trempé
Driver included	Yes


Liefe time

L80 à 25°	50 000 h
-----------	----------

Supplementary data

Warranty period	5 years
Light beam spread	120° X 65°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none">TR08006501 - CONNECTOR IP65

Plan



Other



Other



Other

