

SPOT ECO

# SPOT CCT-6W-IP54-DIRECT 230V-DIMM

PL01065401

**OUTDOOR** > Downlights (until 95 mm)

Economic spotlight in polycarbonate, 3 CCT (3000K, 4000K, 5700K) covered with roll insulation.



## Application domain

- Kitchen
- Bathroom
- Bedroom
- Home Office
- House Corridor
- Circulations areas
- Cloakrooms
- Washrooms



FILE UPDATED ON 22/03/2023

## Electric data

Total power (W)	6
Rated voltage (V)	230V
Distorsion harmonique	<30%
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	Triac

## Power supply data

Max. lamp per B10A circuit breaker	20
Max. lamp per B16A circuit breaker	25
Max. lamp per C16A circuit breaker	30

## Photometric data

Color temperatures	3000K / 4000K / 5700K
Light source type	-
Including the light source	Yes
SDCM	SDCM>5
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	700lm (4000K)
ULOR	-



FILE UPDATED ON 22/03/2023



## Technical data

Diameter (mm)	85
Height (mm)	60
Recessed diameter (mm)	Min. : 70   Max. : 75
Weight (kg)	0.1
Recessed depth under BA13 (mm)	45
Cable length	-
Product color	White
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP40 - IP54 facade
Use temperature range	-20... +40°
Body material	PC
Diffuser material	PS
Driver included	Yes
Recoverable	Isolant rouleau

## Liefe time

L70 à 25°	35 000 h
-----------	----------

## Supplementary data

Warranty period	3 years
Light beam spread	90°
Tiltable	No
Connection type	Connector on the product



FILE UPDATED ON 22/03/2023





FILE UPDATED ON 22/03/2023

