

LED STRIP

DRIVER DALI-PUSHDIM-200W-DT6-4CH-24V

BL092002413

[LED STRIP](#) > LED Strip[DRIVERS AND ACCESSORIES](#) > Alimentation et Accessoires

DALI DT6 converter for RGBW led strip. 4 channels 4.1A per channel. Compatible with DALI master which supports DT8 controllers



200 W

IP20

Electric data

Total power (W)	200
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.95
Network frequencies	50Hz , 60Hz
Electric class	I
Dimmable	Dali , push dim

Photometric data

Color temperatures	-
Light source type	-
SDCM	-
IRC	-
Safety group (EN62778)	-
Luminous flux (lm)	-
ULOR	-


Technical data

Dimensions (mm)	270 x 79 x 39
Weight (kg)	0.92
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Grey
IK Code	IK07
Incandescent wire test	-
IP Code	IP20
Use temperature range	-20... +45°
Body material	PC
Diffuser material	-
Driver included	No
Recoverable	Non recouvrable


Supplementary data

Warranty period	5 years
Light beam spread	
Tiltable	No
Connection type	Connector on the product

Plan



Other



Other

