

PROJECTOR

FLOODLIGHT-50W-4000K-IP65-BLACK-IR SENSOR

BL10506531

OUTDOOR > Outdoor Wall Light
OUTDOOR > Outdoor Flood Light

Projector with a contemporary design. Built-in IR (infrared) detector. Lumiled LEDs for a reliable, aesthetic and durable solution. Remote control delivered with the product and 1 meter of cable.



Application domain

- Garages
- Outdoor residential
- Garden
- Outdoor Parking
- Outdoor lighting



50 W

5600
lm

IRC
>80

IP65

4000K

D



FILE UPDATED ON 01/02/2023

Electric data

Total power (W)	50
Rated voltage (V)	230V
Distorsion harmonique	<20%
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	No

Power supply data

Max. lamp per B10A circuit breaker	10
Max. lamp per B16A circuit breaker	15
Max. lamp per C16A circuit breaker	20

Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	5600lm (4000K)
ULOR	-



FILE UPDATED ON 01/02/2023



Technical data

Dimensions (mm)	158 x 48 x 203
Weight (kg)	1.24
Recessed depth under BA13 (mm)	-
Cable length	100 cm
Product color	Black
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-25... +45°
Body material	Aluminium
Diffuser material	Verre trempé
Sensor	Infra rouge
Driver included	Yes
Recoverable	Non concerné

Liefe time

L70 à 25°	50 000 h
-----------	----------

Supplementary data

Warranty period	3 years
Light beam spread	110°
Tiltable	No
Connection type	Fil à connecter



FILE UPDATED ON 01/02/2023



Accessories



Other



Other



FILE UPDATED ON 01/02/2023