

PROJECTOR

CASQUETTE POUR PROJ CCT 200-300-400W

BL1000002

OUTDOOR > Outdoor Flood Light

DRIVERS AND ACCESSORIES > Alimentation et Accessoires

Anti-glare cap for Power 200-300-400W



Electric data

| | |
|-----------------------|----|
| Total power (W) | - |
| Rated voltage (V) | - |
| Distorsion harmonique | - |
| Power factor | - |
| Network frequencies | - |
| Electric class | - |
| Dimmable | No |

Photometric data

| | |
|------------------------|---|
| Color temperatures | - |
| Light source type | - |
| SDCM | - |
| IRC | - |
| Safety group (EN62778) | - |
| Luminous flux (lm) | - |
| ULOR | - |

Technical data

| | |
|--------------------------------|------|
| Recessed diameter (mm) | - |
| Weight (kg) | 0.41 |
| Recessed depth under BA13 (mm) | - |
| Cable length | - |
| Product color | - |
| IK Code | - |
| Incandescent wire test | - |
| IP Code | - |
| Use temperature range | - |
| Body material | - |
| Diffuser material | - |
| Driver included | No |

Supplementary data

| | |
|-------------------|---|
| Light beam spread | |
| Tiltable | No |
| Linked products | <ul style="list-style-type: none">• BL102006510 - POWER 3CCT-100-150-200W• BL104006510 - POWER 3CCT-200-300-400W |