

WATERPROOF LED

ETANCHE TECH DALI 150-42W-4000K

BL11426511

INDOOR > Triproof

Waterproof removable plate LED strip, 5-year warranty, Osram DALI version power supply, quick connectors that can be plugged in without tools, through and 850°.



Application domain

- Industrial facilities
- Parkings lots and underground passages
- Garages
- Production areas, assembly plant
- Storage



42 W

6200
lmIRC
>80

IP66

4000K

D



FILE UPDATED ON 27/01/2023

Electric data

Total power (W)	42
Rated voltage (V)	230V
Distorsion harmonique	<17%
Power factor	>0.9
Network frequencies	50Hz
Electric class	I
Dimmable	Dali

Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	6200lm (4000K)
ULOR	-



FILE UPDATED ON 27/01/2023



Technical data

Dimensions (mm)	1520 x 85 x 80
Weight (kg)	1.92
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Grey
IK Code	IK10
Incandescent wire test	850°C
IP Code	IP66
Use temperature range	-20... +50°
Body material	PC
Diffuser material	PC
Driver included	Yes
Recoverable	Non recouvrable

Liefe time

L80 à 25°	50 000 h
-----------	----------



Supplementary data

Warranty period	5 years
Light beam spread	115°
Tiltable	No
Connection type	Connecteur rapide avec repiquage



FILE UPDATED ON 27/01/2023





FILE UPDATED ON 27/01/2023