

SIGN PROJECTOR

FLOODLIGHT ENSEIGNE SIGN 15-16W- 3000K-IP65-NR

PL10166502

OUTDOOR > Outdoor Wall Light
OUTDOOR > Outdoor Flood Light

Sign projector SIGN IP65 with waterproof connector included. An asymmetrical light distribution, a color temperature of 3000K which meets the regulations on light pollution!



Application domain

- Outdoor illumination
- Outdoor lighting



Electric data

Total power (W)	16
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	I
Dimmable	No

Photometric data

Color temperatures	3000K
UGR	<22
Light source type	-
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	1920lm (3000K)
ULOR	-

Technical data

Dimensions (mm)	380 x 141 x 133
Weight (kg)	1.46
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Black
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-20... +45°
Body material	Aluminium
Diffuser material	Verre trempé
Driver included	Yes

Liefe time

L80 à 25°	50 000 h
-----------	----------

Supplementary data

Warranty period	5 years
Light beam spread	130° X 50°
Tiltable	Yes (90°)
Connection type	fast connector
Linked products	<ul style="list-style-type: none">PL10166501 - PROJ SIGN 50-16W-3000K-BLACK

