

3ALL PROJECTOR

RAFALE 3 ALL-30W-3CCT-IP20-WHITE-DIM

TR07302004

INDOOR > Tracklights

Track-mounted LED spotlight with color temperature change.
Aluminum body. Ideal for general or accent lighting. Naturally anti-glare does not require a honeycomb grid.



Application domain

- Shop



Electric data

Total power (W)	30
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz , 60Hz
Electric class	I
Dimmable	Triac



FILE UPDATED ON 23/02/2023

Photometric data

Color temperatures	3000K / 4000K / 5000K
UGR	<19
Light source type	COB
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	2600lm (4000K)
ULOR	-

Technical data

Dimensions (mm)	189 x 90 x 90
Weight (kg)	1.02
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	White
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-20... +40°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes
Recoverable	Non concerné



FILE UPDATED ON 23/02/2023




Liefe time

L70 à 25°	50 000 h
-----------	----------

Supplementary data

Warranty period	3 years
Light beam spread	38°
Tiltable	Yes (350°)
Connection type	Adaptor 4 wires track light
Linked products	<ul style="list-style-type: none">TR07300002 - BURST CCT WHITE SHUTTER 30W

Plan




Accessories

RÉFÉRENCE	DÉSIGNATION
005379	VOLET BLANC 7W
005380	VOLET NOIR 7W
005381	VOLET BLANC 15W
005382	VOLET NOIR 15W
005383	VOLET BLANC 30W
005384	VOLET NOIR 30W



FILE UPDATED ON 23/02/2023





FILE UPDATED ON 23/02/2023