

TF103-ETANCHE TECH 120-36W-IP65-OPAL-3000K-850°

BL11366502

INDOOR > Triproof

Led waterproof strip, removable plate, 5-year warranty, Osram power supply, tool-free quick connector, through and 850°.



Application domain

- Industrial facilities
- Parkings lots and underground passages
- Garages
- Production areas, assembly plant
- Storage



FILE UPDATED ON 14/03/2023

Electric data

Total power (W)	36
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz , 60Hz
Electric class	I
Dimmable	No

Power supply data

Max. lamp per B10A circuit breaker	15
Max. lamp per B16A circuit breaker	20
Max. lamp per C16A circuit breaker	30

Photometric data

Color temperatures	3000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	4600lm (3000K)
ULOR	-



FILE UPDATED ON 14/03/2023



Technical data

Dimensions (mm)	1220 x 81 x 91
Weight (kg)	1.5
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Grey
IK Code	IK10
Incandescent wire test	850°C
IP Code	IP66
Use temperature range	-20... +45°
Body material	PC
Diffuser material	PC
Driver included	Yes

Liefe time

L80 à 25°	50 000 h
-----------	----------

Supplementary data


Warranty period	5 years
Light beam spread	115°
Tiltable	No
Connection type	Connecteur rapide avec repiquage




FILE UPDATED ON 14/03/2023



Photometric curves



Other



FILE UPDATED ON 14/03/2023

