

LED STRIP

LEDSTRIP 5M-RGBW+3000K-14,4W/M-IP65

BL21152026

LED STRIP > LED Strip

RGB+W LED strip IP65. Add a subdued or colorful atmosphere, this ribbon allows you to play with colors while having the possibility of having a real warm white in 3000K. Power cable at both ends.



Application domain

- Residential indoor
- Meeting room
- School
- Office
- Kitchen
- Bathroom
- Bedroom
- Home Office
- House Corridor
- Backlight
- Backlight
- Circulations areas
- Entrance Halls
- Shop



23 W

1200
lm

IRC
>90

IP65

2 CCT

3000K / RGB

D



FILE UPDATED ON 26/10/2022

Electric data

Total power (W)	23
Rated voltage (V)	24Vdc
Distorsion harmonique	-
Power factor	>0.95
Network frequencies	0Hz
Electric class	III
Dimmable	Triac , Dali , 1-10V

Photometric data

Color temperatures	3000K / RGB
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>6
IRC	>90
Safety group (EN62778)	RG1
Luminous flux (lm)	1200lm (3000K)
ULOR	-



FILE UPDATED ON 26/10/2022



Technical data

Weight (kg)	0.04
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	-
IK Code	IK02
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-25... +45°
Body material	-
Diffuser material	-
Driver included	No

Liefe time

L70 à 25°	50 000 h
-----------	----------

Supplementary data


Warranty period	5 years
Light beam spread	120°
Tiltable	No
Connection type	Fil à connecter



FILE UPDATED ON 26/10/2022



Plan



FILE UPDATED ON 26/10/2022

