

WALL SQUARE SURF-4W-IP65-3000K-GRIS FONCE

PL16046505

OUTDOOR > Outdoor Wall Light

Square aluminum wall light for outdoor
beaconing.



Application domain

- Outdoor residential
- Garden
- Outdoor illumination
- Outdoor Circulations
- Outdoor lighting



4 W

220 lm

IRC
>80

IP65

3000K

F



FILE UPDATED ON 15/03/2023

Electric data

Total power (W)	4
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz , 60Hz
Electric class	I
Dimmable	No

Photometric data

Color temperatures	3000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	220lm (3000K)
ULOR	-



FILE UPDATED ON 15/03/2023



Technical data

Dimensions (mm)	100 x 100 x 30
Weight (kg)	0.26
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Dark gray
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-25... +45°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes

Liefe time

L80 à 25°	35 000 h
-----------	----------

Supplementary data

Warranty period	5 years
Light beam spread	60°
Tiltable	No
Connection type	Bornier avec repiquage




FILE UPDATED ON 15/03/2023



Plan

Other



FILE UPDATED ON 15/03/2023

