

Add: Spjutvägen 17, 746 50, Bålsta, Sweden

Tel/Tel: +46171-442300

Web : www.topednordic.se

Product Specification

TLN-COB10-XXXX




Features

Chip on board design, no dark area and spot free.


DALI, 0/1-10V, PWM dimming ways all supported.

Double layer FPC, balancing Voltage drop, heat dissipation and flexibility.

Picture



Dimensions



Specifications

Item NO.	TLN-COB10-XXXX, where XXXX = 2400,2700,3000,4000 or customized on request
LED Chip/Meter	480
Input Voltage	24V

PCB	8mm, white					
Power	10W/M					
Ra	Ra 80			Ra 90		
CCT	2700K	3000K	4000-6500K	2700K	3000K	4000-6500K
Brightness	950Lm/M	1000Lm/M	1100Lm/W	800Lm/M	850Lm/M	950Lm/M
Efficiency	95Lm/W	100Lm/W	110Lm/W	80Lm/W	85Lm/W	95Lm/W
Length	5 meters					
Size	Width: 8mm; Height: 1.6mm					
Cutting Length	50mm					
Lifespan	50,000 H					
Working Temperature	-20°C - 40°C					
Storage Temperature	-20°C - 45°C					
Warranty	5 years					

* The above measurements of watts, brightness and efficiency allowance tolerance $\pm 10\%$.

* The above measurements are based on IP20.

Temperature Curve

