

PROJECTOR

# FLOODLIGHT-50W-3000K-IP65-BLACK-IR SENSOR

BL10506530

**OUTDOOR** > Outdoor Wall Light**OUTDOOR** > Outdoor Flood Light

Projector with a contemporary design. Built-in IR (Infrared) detector. Lumiled LEDs for a reliable, aesthetic and durable solution. Remote control delivered with the product and 1 meter of cable.



## Application domain

- Garages
- Outdoor residential
- Garden
- Outdoor Parking
- Outdoor Circulations
- Outdoor lighting



50 W

5400  
lmIRC  
>80

IP65

3000K

D



FILE UPDATED ON 01/02/2023

## Electric data

Total power (W)	50
Rated voltage (V)	230V
Distorsion harmonique	<20%
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	No

## Power supply data

Max. lamp per B10A circuit breaker	10
Max. lamp per B16A circuit breaker	15
Max. lamp per C16A circuit breaker	20

## Photometric data

Color temperatures	3000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	5400lm (3000K)
ULOR	-



FILE UPDATED ON 01/02/2023



## Technical data

Dimensions (mm)	158 x 48 x 203
Weight (kg)	1.24
Recessed depth under BA13 (mm)	-
Cable length	100 cm
Product color	Black
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-25... +45°
Body material	Aluminium
Diffuser material	Verre trempé
Sensor	Infra rouge
Driver included	Yes
Recoverable	Non concerné

## Liefe time

L70 à 25°	50 000 h
-----------	----------

## Supplementary data

Warranty period	3 years
Light beam spread	110°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none"><li>BL10506531 - PROJ IR SENSOR-50W-4K-IP65-NR</li></ul>



FILE UPDATED ON 01/02/2023



## Accessories

---



## Other

---



## Other

---



FILE UPDATED ON 01/02/2023

