

SOURCE

BULB LAMPE A60-E27-9W-4K NON DIM

BL06092002

[INDOOR](#) > Lamp[LAMP](#) > Lampe

A60 in E27 non-dimmable opal
diffuser



Application domain

- Residential indoor



9 W

830 lm

IRC
>80

IP40

4000K

F

Electric data

| | |
|-----------------------|------|
| Total power (W) | 9 |
| Rated voltage (V) | 230V |
| Distorsion harmonique | <30% |
| Power factor | >E27 |
| Network frequencies | 50Hz |
| Electric class | I |
| Dimmable | No |



FILE UPDATED ON 24/11/2022

Power supply data

| | |
|------------------------------------|----|
| Max. lamp per B10A circuit breaker | 20 |
| Max. lamp per B16A circuit breaker | 25 |
| Max. lamp per C16A circuit breaker | 30 |

Photometric data

| | |
|----------------------------|---------------|
| Color temperatures | 4000K |
| Light source type | Lampe E27 |
| Including the light source | No |
| SDCM | SDCM>6 |
| IRC | >80 |
| Safety group (EN62778) | RG0 |
| Luminous flux (lm) | 830lm (4000K) |
| ULOR | - |



FILE UPDATED ON 24/11/2022



Technical data

| | |
|--------------------------------|---------------|
| Dimensions (mm) | 60 x 60 x 108 |
| Weight (kg) | 0.04 |
| Recessed depth under BA13 (mm) | - |
| Cable length | - |
| Product color | White |
| IK Code | IK04 |
| Incandescent wire test | 650°C |
| IP Code | IP40 |
| Use temperature range | -25... +45° |
| Body material | PC |
| Diffuser material | PC |
| Driver included | Yes |
| Recoverable | Non concerné |

Liefe time

| | |
|-----------|----------|
| L70 à 25° | 20 000 h |
|-----------|----------|

Supplementary data

| | |
|-------------------|---------|
| Warranty period | 2 years |
| Light beam spread | 180° |
| Tiltable | No |



FILE UPDATED ON 24/11/2022

