


LEDSTRIP 230V-1M-6W/M-4000K

BL21066503

[OUTDOOR](#) > LED Strip

[LED STRIP](#) > LED Strip

Outdoor construction site led strip, 50 meter reel, 2835 led with high luminous efficiency. Copper main conductor. 230V power supply to be ordered separately.



Application domain

- Outdoor residential
- Garden
- Backlight
- Outdoor lighting



Electric data

Total power (W)	6.5
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No

Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>6
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	590lm (4000K)
ULOR	-

Technical data

Dimensions (mm)	1000 x 14 x 7
Weight (kg)	0.11
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	-
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-20... +45°
Body material	PVC
Diffuser material	-
Driver included	No

Liefe time

L70 à 25°	20 000 h
-----------	----------

Supplementary data

Warranty period	2 years
-----------------	---------

Light beam spread	120°
-------------------	------

Tiltable	No
----------	----

Linked products

- BL21000001 - RIBBON-KIT ALI 0.5M+PLUG 230V
- BL21000002 - RIBBON-KIT ALIM 2M+PLUG 230V
- BL21000003 - RIBBON ACC. SIMPLE CONNECTION
- BL21000004 - RIBBON END CAP-tip x6 pieces
- BL21000005 - RIBBON CON. OF JUNCTIONL x6
- BL21000006 - FIXING CLIP TAPE x10
- BL21000007 - L-CONNECTOR TAPE
- BL21000008 - TAPE CONNECTOR TEE
- BL21000009 - PROFILE TAPE 2M-U
- BL21000010 - CABLE CLAMP TAPE