

WATERPROOF LED

ETANCHE TECH DALI 120-36W-4000K

BL11366512

INDOOR > Triproof

Waterproof led strip, removable plate, 5-year warranty, DALI power supply, quick connectors without tools, through and 850°.



Application domain

- Industrial facilities
- Parkings lots and underground passages
- Garages
- Production areas, assembly plant
- Storage



Electric data

Total power (W)	36
Rated voltage (V)	230V
Distorsion harmonique	<17%
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	Dali



FILE UPDATED ON 30/01/2023

Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	4800lm (4000K)
ULOR	-

Technical data

Dimensions (mm)	1200 x 85 x 80
Weight (kg)	1.6
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Grey
IK Code	IK10
Incandescent wire test	850°C
IP Code	IP66
Use temperature range	-20... +50°
Body material	PC
Diffuser material	PC
Driver included	Yes
Recoverable	Non concerné



FILE UPDATED ON 30/01/2023



Liefe time


L80 à 25°

50 000 h


Supplementary data

Warranty period	5 years
Light beam spread	115°
Tilttable	No
Connection type	Connecteur rapide avec repiquage

Photometric curves



Other



FILE UPDATED ON 30/01/2023