

LED STRIP

LEDSTRIP CCT 5M-9,6W/M-IP20-2700K-6500K BL21102023

LED STRIP > LED Strip

Led strip with temperature color change. Able to vary from 2700K to 6500K, it can be adapted to the desired atmospheres. Controllable via remote control or smartphone depending on the installation.



Application domain

- Residential indoor
- Meeting room
- School
- Office
- Kitchen
- Bathroom
- Bedroom
- Home Office
- House Corridor
- Backlight
- Circulations areas
- Entrance Halls
- Shop



FILE UPDATED ON 18/01/2023

Electric data

Total power (W)	9.6
Rated voltage (V)	24Vdc
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	0Hz
Electric class	III
Dimmable	Triac , Dali , 1-10V

Photometric data

Color temperatures	2700K / 3000K / 4000K / 5000K / 6500K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>6
IRC	>90
Safety group (EN62778)	RG1
Luminous flux (lm)	800lm (4000K)
ULOR	-



FILE UPDATED ON 18/01/2023



Technical data

Weight (kg)	0.04
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	White
IK Code	IK02
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-25... +45°
Body material	-
Diffuser material	-
Driver included	No

Liefe time

L70 à 25°	50 000 h
-----------	----------

Supplementary data


Warranty period	5 years
Light beam spread	120°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none">• BL21000022 - TAPE ACC CCT CONNECTOR 10MM• BL21000024 - ACC CCT JUMPER TAPE 10MM• BL21000023 - ACC CCT STARTER TAPE 10MM



FILE UPDATED ON 18/01/2023



Plan



FILE UPDATED ON 18/01/2023

