

TF144-SKYLED-100W-IP65-90°-5000K-0-10V-WH

BL111006506

INDOOR > Surface mounted and suspended fixtures
INDOOR > Highbay

140lm/Watt industrial led fixture - EEC eligible, linear light distribution optimized for aisles between racks or manufacturing or assembly workshops. Industrial LED fixture 140lm/Watt - EEC eligible, linear light distribution optimized for aisles between racks or manufacturing or assembly workshops.



Application domain

- Industrial facilities
- Production areas, assembly plant
- Storage



Electric data

Total power (W)	100
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	1-10V

Photometric data

Color temperatures	5000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	14000lm (5000K)
ULOR	-

Technical data

Dimensions (mm)	640 x 171 x 65
Weight (kg)	2.11
Recessed depth under BA13 (mm)	-
Cable length	100 cm
Product color	White
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-35... +40°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes


Liefe time

L80 à 25°	50 000 h
-----------	----------


Supplementary data

Warranty period	5 years
Light beam spread	90°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none">• BL111000002 - SKYLED100 FIXING BRACKET

Plan



Light distribution



Other



Other

